

Wuxi NEST Biotechnology Co., Ltd

Certificate of Analysis

Product Name	NEST GelNest Matrix (High Concentration, Phenol Red-Free, LDEV- Free)	Product No.	211262	Lot No.	011325QQH6
DOM	2025-01-13	Expiration Date	2026-12		
No.	Item	Inspection items/basis			Result
1	Appearance	Yellowish jelly like			Pass
2	Protein Concentration	>18mg/mL			18.00mg/ml
3	Gelation time	<30minutes			Pass
4	Elevated lactate dehydrogenase virus (LDEV)	PCR negative			Pass
5	Fungi,bacteria,mycoplasma	Negative			Pass
6	Gel stability (37°C, 14 days)	Stabilize			Pass
7	Organoid growth	Support			Pass
8	Nerve axon growth	Support			Pass
9	*Endotoxin Detection	<4EU/mL			Pass
10	Packaging	No damage, No leakage			Pass
Conclusion		Pass			
<div style="text-align: right; margin-right: 50px;">  </div>					
Note: Only Pass or No pass is applicable in filling in 'Result' .					
Add: No.530,Xida Road,Meicun Industrial Park, Xinwu District,Wuxi , Jiangsu,China		Tested by	Mu xinquan	Approved by	Li xinyu
Tel: (+86) 0510-88550090					
Fax: (+86) 0510-88550105		Date	2025年01月28日	Date	2024年01月28日
https://www.cell-nest.com					

