Wuxi NEST Biotechnology Co., Ltd

Certificate of Analysis

Product Name		NEST GelNest Matrix (Growth Factor Reduced,Phenol Red-Free LDEV-Free)		Product N	No. 21124	2 Lot	No.	060625QQH4
				Troduct	21124	Z Lot	No.	000023QQ114
		2025-06-06		Expiration Date 20			2027-	-05
No.	Item		Inspection items/basis					Result
1	Appearance		Yellowishjelly like					Pass
2	Protein Concentration		>8mg/mL					12.0mg/ml
3	Gelation time		<30minutes					Pass
4	Elevated 1 dehydroger	lactate nase virus (LDEV)	PCR negative					Pass
5	Fungi,bacte	eria,mycoplasma	Negative					Pass
6	Gel stabilit	y (37°C, 14days)	Stabilize					Pass
7	Organoid g	growth	Support					Pass
8	Nerve axo	n growth	Support					Pass
9	*Endotoxin	n Detection	<4EU/mL					Pass
10 Packaging			No damage,No 1	No damage,No leakage				
	Conclus	sion				Pass	ION SPE	20101
ote: (Only Pass	or No pass is applica	able in filling in	'Result' .		EL #	检专用章	() E
Add: No. 530 , Xida Road, Meicun Industrial Park, Xinwu District, Wuxi , Jiangsu, China				ested	Mu xinquan	Approve	d	Li xinyu
Tel:	(+86) 0510	0-88550090		by		by		
Fax: (+86) 0510-88550105				Date 2	2025年06月20日	Date	20	25年06月20日
nttps://ww	W	com.cell-nest.						