

Wuxi NEST Biotechnology Co., Ltd.

Certificate of Analysis

Product Name	NEST GelNest Matrix, GFR, LDEV-Free	Product No.	211232	Lot No.	101525QQH3
DOM	2025/10/15	Expiration Date	2027/9		
No.	Item	Inspection items/basis			Result
1	Appearance	Orange pink jelly-like			Pass
2	Protein concentration	>8 mg/mL			10.2 mg/ml
3	Gelation time	<30 minutes			Pass
4	Elevated lactate dehydrogenase virus (LDEV)	PCR negative			Pass
5	Fungi, bacteria, mycoplasma	Negative			Pass
6	Gel stability (37°C, 14 days)	Stable			Pass
7	Organoid growth	Support			Pass
8	Nerve axon growth	Support			Pass
9	*Endotoxin detection	<4.0 EU/ mL			Pass
10	Packaging	No damage, no leakage			Pass
Conclusion		Pass			
<p>Note: Only Pass or No pass is applicable in filling in 'Result'.</p>					
Add: No. 530, Xida Road, Meicun Industrial Park, Xinwu District, Wuxi, Jiangsu, China		Tested by	Mu X.	Approved by	Li X.
Tel: (+86) 0510-88550090					
Fax: (+86) 0510-88550105		Date	2025/10/15	Date	2025/10/15
https://www.cell-nest.com					

NEST

